

ARTESANÍA AUDIO

the high end rack company



www.artesaniaaudio.com

ARTESANÍA AUDIO

the high end rack company

	CLASIC	line
<hr/>		

ORGANIC LINE

ACCESORIES RACK

MASTER KIO EXOTERYC RACK PRESTIGE RACK AIR FORCE RACK

KALISTA RACK

AUDIOVIDEO RACK

MINI RACK

MODULAR RACK

PLATFORMS SHELVES DAMPERS DECOUPLING DISCS SPEAKER BASES ELECTRONIC BASES

www.artesaniaaudio.com



MASTER KIO



www.artesaniaaudio.com info@artesaniaaudio.com

MASTER KIO

AM ARTESANÍA AUDIO

Technology





AAT Acoustic Anti-ressonance Treatment



Support 700 kg





ADJUSTABLE TEFLON CILINDERS UPGRADE

All racks are shipped 95% assembled



CARBON FIBER / GLASS FIBER / KRION / MDF MULTILAYER PLATFORM Carbon fiber 100% 3K Twill 200gr/m2 on both upper and lower faces, with G10 biaxial glas fiber 180 gm/m² inner core. Finishing like fiber arms.




CARBON FIBER ARMS UPGRADE



BEECH WOOD ISOLATION DISC



MASTER KIO AIRE PLATFORM



Technical Specifications

RACK MASTER WEIGHT				
MODEL	kg	lb		
3 levels	73	161		
4 levels	92	203		
3+3 levels tandem	128	283		

INTERNAL STRUCTURE WE	IGHT SUPI	PORTED	W
MODEL	kg	lb	M
3 levels	450	992	3 le
4 levels	600	1323	4 le
3+3 levels tandem	900	1984	3+2

PLATFORM WEIGHT SUPPORTED			
PLATFORM MODEL	kg	lb	
Carbon Fiber / Glass Fiber / Carbon Fiber / Krion	200	441	

WEIGHT SUPPORTED RACK + PLATTFORM (Glass & Krion)			
MODEL	kg	lb	
3 levels	650	1433	
4 levels	800	1764	
3+3 levels tandem	1100	2425	

Any special & custom version upon request

www.artesaniaaudio.com



EXOTERYC RACK



www.artesaniaaudio.com info@artesaniaaudio.com



EXOTERYC RACK

ATTESANÍA AUDIO

Technology

(الج) SDS Suspended Double Structure tech

((((إلى))) **3D** Triple Decoupling

AAT Acoustic Anti-ressonance Treatment





Technical Specifications

EXOTERYC RACK WEIGHT			
MODEL	kg	lb	
3 levels	50	110	
4 levels	62	137	
3+3 levels tandem	84	185	

INTERNAL STRUCTURE WEIGHT SUPPORTED			
MODEL	kg	lb	
3 levels	170	375	
4 levels	200	441	
3+3 levels tandem	250	551	

PLATFORM WEIGHT SUPPORTED				
PLATFORM MODEL	kg	lb		
Treated glass	150	330		
Krion	150	330		
Server Digital	60	132		

WEIGHT SUPPORTED RACK + PLATTFORM (Glass & Krion)			
MODEL	kg	lb	
3 levels	320	704	
4 levels	350	770	
3+3 levels tandem	400	880	



DIMENSIONS	3 LEVELS	4 LEVELS	3+3 LEVELS TANDEM
Total height	73 cm / 28,74″	98 cm / 38,58″	73 cm / 28,74″
Internal distance between legs	55 cm / 21,65"	55 cm / 21,65"	55 cm / 21,65″
External distance between legs	67 cm / 26,37"	67 cm / 26,3	128 cm / 50,39″
Total depth	52,5 cm / 20,66"	52,5 cm / 20,66"	52,5 cm / 20,66"
Net space between tiers	A ((2, 1,21,00"	92 cm (2 x 46 cm)
Net space between tiers	46 cm / 18,11" 63 cm / 24,80"		36,22" (2 x 18,11")
Usable depth	Adaptable on depth		

ARTESANÍA AUDIO

the high end rack company

EXOTERYC RACK

Technical Construction Details

A stainless steel, anti-magnetic structure supports a specially treated base to set up a turntable or other components. Different versions and materials are available. Check accessories brochure.



Each top is made with conical recess to support the spikes of the turntable platform.

3 E

EXTERNAL STRUCTURE

It's made of metal filled with special particles and elastomers. The uprights have a diameter of 60 mm. These factors create a rack heavy, resistant and stable. The resonance coefficient of the structure is significantly lowered. The paint used is textured for diffusion purposes.



INTERNAL SUSPENDED STRUCTURE

Isolated from external structure. Eliminates vibrations that are transmitted from solid and acoustic sources through the creation of decouples; steel needles supported on isolating discs. These provide extra tiers of antiresonant protection. This suspended audio rack has a triple decoupling. **TEFLON CILINDERS** Support the internal structure and isolates from the external structure. (Diameter 38 mm)



6 EARTH TERMINAL To connect electronics (essential

for phono) Check manual to connect properly if is necessary.



BRIDGE BAR

Height variable rear rods strengthen the external structure to guarantee stability and ensure free easy access to install components.

1NTERNAL FRAME

These frames are adjustable in height to place any size of component properly. They are locked on the vertical stainless steel bars of the suspended structure.



9 LINEAR ARMS

Arms made from anti-magnetic stainless steel. The arms hold adjustable spikes (can be located in different positions) also support isolating discs and damping pads. Total flexibility in different positions and easy to change. This system allows to set up the best support position to place electronic components.

ISOLATION DISCS

Support each of the electronic components (without any need for shelves). Easy installation facilitated by an elastic insert which provides stability to place electronic components on the adjustable spikes.



11 STABILIZER BAR

Located in the internal structure they stop the tiniest pendular movement of the internal structure. Four in each rack, located at the lowest part of the internal structure. Check manual to use it properly.



Stainless steel discs support the spikes of the uprights. Two types of floor pads are included, with different sonic behavior, depending on the room acoustics. Check manual to use the proper pads for the bases.




www.artesaniaaudio.com



EXOTERYC RACK

MA ARTESANÍA AUDIO



www.artesaniaaudio.com




PRESTIGE RACK



www.artesaniaaudio.com info@artesaniaaudio.com

PRESTIGE RACK

MA ARTESANÍA AUDIO



Any special & custom version upon request



PRESTIGE RACK

Technical Construction Details

PLATFORM

A stainless steel, anti-magnetic structure supports a specially treated base to set up a turntable or other components. Different versions and materials are available. Check accessories brochure.

STAINLESS STEEL TOP ATTACHMENTS ON RACK UPRIGHTS

Each top is made with conical recess to support the spikes of the turntable platform.



EXTERNAL STRUCTURE

It's made of metal filled with special particles and elastomers. The uprights have a diameter of 45 mm. These factors create a rack heavy, resistant and stable. The resonance coefficient of the structure is significantly lowered. The paint used is textured for diffusion purposes.

4 INTERNAL SUSPENDED STRUCTURE

Isolated from external structure. Eliminates vibrations that are transmitted from solid and acoustic sources through the creation of decouples; steel needles supported on isolating discs. These provide extra tiers of antiresonant protection. This suspended audio rack has a triple decoupling.

TEFLON CILINDERS

Support the internal structure and isolates from the external structure. (Diameter 30 mm)



6 EARTH TERMINAL

To connect electronics (essential for phono) Check manual to connect properly if is necessary.

7 BRIDGE BAR

Height variable rear rods strengthen the external structure to guarantee stability and ensure free easy access to install components.

INTERNAL FRAME

['] These frames are adjustable in height to place any size of component properly. They are locked on the vertical stainless steel bars of the suspended structure.



9 LINEAR ARMS

Arms made from anti-magnetic stainless steel. The arms hold adjustable spikes (can be located in different positions) also support isolating discs and damping pads. Total flexibility in different positions and easy to change. This system allows to set up the best support position to place electronic components.

10 ISOLATION DISCS

Support each of the electronic components (without any need for shelves). Easy installation facilitated by an elastic insert which provides stability to place electronic components on the adjustable spikes.



M STABILIZER BAR

Located in the internal structure they stop the tiniest pendular movement of the internal structure. Four in each rack, located at the lowest part of the internal structure. Check manual to use it properly.



DECOUPLING BASE

Stainless steel discs support the spikes of the uprights. Two types of floor pads are included, with different sonic behavior, depending on the room acoustics. Check manual to use the proper pads for the bases.



www.artesaniaaudio.com

PRESTIGE RACK

MA ARTESANÍA AUDIO



Dampers.

Shock absorbers Special antimagnetic and antivibration STANDARD shock absorber 1.4kg. Avoid parasites radio frequency vibratons and interference in digital systems.





Optional accessories (check accessories catalog for more options)



Glass shelve



Floor platform



Turntable platform



AIR FORCE RACK




www.artesaniaaudio.com info@artesaniaaudio.com

AIR FORCE RACK

A RTESANÍA AUDIO

Technology



www.artesaniaaudio.com



KALISTA RACK




www.artesaniaaudio.com info@artesaniaaudio.com



KALISTA RACK

ATTESANÍA AUDIO

Technology



All racks are shipped 95% assembled

Any special & custom version upon request

www.artesaniaaudio.com



AUDIOVIDEO RACK



www.artesaniaaudio.com info@artesaniaaudio.com

Technical Construction Details

ADJUSTABLE HEIGHT

Guide to vary de high of the shelves. The shelf is a double sandwich glass of 6 + 6mm with a special treatment in between. Also available 12mm Krion shelves

NEOPRENE PADS

Conical neoprene needles to isolate from vibrations and obtain a better performance in the listening experience.

DECOUPLING BASE

4 levels

Polyamide discs maximum absorption to avoid vibrations transmitted via soil.


	rack weight		weight supported	
RACK MODEL	kg	lb	kg	lb
2 levels	57	126	160	353
3 levels	79	174	240	529

234 320


705


Rack's depth: 48 cm (adaptable on depth)


106



AAT Acoustic Anti-resso







Any special & custom version upon request

Upon request

*usable space: total net space between tiers

www.artesaniaaudio.com

info@artesaniaaudio.com


MA ARTESANÍA AUDIO



Versions



MINI RACK



www.artesaniaaudio.com info@artesaniaaudio.com



A ARTESANÍA AUDIO

Technology






AAT Acoustic Anti-ressonance Treatment



(n) MNS Maximum Neutrality System

Technical Specifications

Rack specially made for smaller components




Versions





45,5 |-----| 36.5 NET SPACE 67 283





Any special & custom version upon request

www.artesaniaaudio.com



MINI RACK

Technical Construction Details

PLATFORM

A stainless steel, anti-magnetic structure supports a specially treated base to set up a turntable or other components. Different versions and materials are available. Check accessories brochure.

2 STAINLESS STEEL TOP ATTACHMENTS ON RACK UPRIGHTS

Each top is made with conical recess to support the spikes of the turntable platform.



3

EXTERNAL STRUCTURE

It's made of metal filled with special particles and elastomers. The uprights have a diameter of 45 mm. These factors create a rack heavy, resistant and stable. The resonance coefficient of the structure is significantly lowered. The paint used is textured for diffusion purposes.

INTERNAL SUSPENDED STRUCTURE

Isolated from external structure. Eliminates vibrations that are transmitted from solid and acoustic sources through the creation of decouples; steel needles supported on isolating discs. These provide extra tiers of antiresonant protection. This suspended audio rack has a triple decoupling.

TEFLON CILINDERS

Support the internal structure and isolates from the external structure. (Diameter 30 mm)



6 EARTH TERMINAL

To connect electronics (essential for phono) Check manual to connect properly if is necessary.

BRIDGE BAR

Height variable rear rods strengthen the external structure to guarantee stability and ensure free easy access to install components.

INTERNAL FRAME

These frames are adjustable in height to place any size of component properly. They are locked on the vertical stainless steel bars of the suspended structure.



LINEAR ARMS

Arms made from anti-magnetic stainless steel. The arms hold adjustable spikes (can be located in different positions) also support isolating discs and damping pads. Total flexibility in different positions and easy to change. This system allows to set up the best support position to place electronic components.

10 ISOLATION DISCS

Support each of the electronic components (without any need for shelves). Easy installation facilitated by an elastic insert which provides stability to place electronic components on the adjustable spikes.

STABILIZER BAR

Located in the internal structure they stop the tiniest pendular movement of the internal structure. Four in each rack, located at the lowest part of the internal structure. Check manual to use it properly.



DECOUPLING BASE

Stainless steel discs support the spikes of the uprights. Two types of floor pads are included, with different sonic behavior, depending on the room acoustics. Check manual to use the proper pads for the bases.




www.artesaniaaudio.com



MINI RACK

AM ARTESANÍA AUDIO



WOODEN CRATE INCLUDED





RACK MODULAR



www.artesaniaaudio.com info@artesaniaaudio.com

RACK MODULAR

M ARTESANÍA AUDIO

Technology

SDS Suspended Double Structure tech

(((الله الله عليه)) **3D** Triple Decoupling

AAT Acoustic Anti-ressonance Treatment (n MNS Maximum Neutrality System



Technical Construction Details

In addition, it also presents the novelty of using conventional shelves, for those who don't feel like changing things and appreciate the immediate and permanent comfort of this solution.


The shelves are formed by Krion solid surface, Panzerholz wood and a restricted layer of elastomer to provide energy control and a total vibration elimination. The legs of the rack are made of Duralumin, with titanium decoupling tips. This model will soon have different versions and finishes, which will not leave indifferent any architect or interior designer, allowing an absolute integration with any decoration or environment, whatever the style.


For an absolute personalization, Artesanía Audio will offer the option for the customer to design their own rack with the aesthetics and preferred colours.

Technical Specifications

MODULAR RACK WEIGHT				
MODEL	kg	lb		
2 levels	22	48		
3 levels	32	70		
3+3 levels	42	92		

INTERNAL STRUCTURE WEIGHT SUPPORTED		
MODEL	kg	lb
2 levels	75	165
3 levels	105	231
4 levels	125	275







4 levels



EXTERNAL


No assembled

Flat carton box for delibery

www.artesaniaaudio.com



ABSOLUTE RACK



www.artesaniaaudio.com info@artesaniaaudio.com

ABSOLUTE RACK

ABSOLUTE RACK WEIGHT

INTERNAL WEIGHT SUPPORTED

kg

120

kg

220

AM ARTESANÍA AUDIO

Technology

MODEL

3 levels

MODEL

3 levels



Technical Specifications



lb

264

lb

485

AAT Acoustic Anti-ressonance Treatment

n S MNS Maximum Neutrality System



Technical Construction Details

The materials used in its construction are the best the market has to offer: Krion solid surface, Panzerholz wood, elastomer and Made in Japan thermoplastic screws.

The only metal parts used are the screws that make up the decoupling points of the rack, which are made of Titanium.

The iconic identity of excellence that Artesania Audio has been maintained, by the absence of shelves to support the electronics. These are supported by Panzerholz wooden discs, which can be moved both horizontally and vertically to perfectly match the size of any component.

In this way, part of the company's technological legacy is respected, while other aspects are improved, such as the use of non-resonant materials that present an absolute synergy such as Krion and Panzerholz.

WOODEN CRATE INCLUDED





Any special & custom version upon request

www.artesaniaaudio.com



ACCESORIES RACK

ISOLATION BASES

THESE BASES CAN BE PLACED IN ANY COMPONENTS OR SPEAKERS TO IMPROVE PERFORMANCE. Price includes 4 stainless steel bases set, 4 speeks, 4 teflon bases, 4 neoprene bases, 4 beech wood bases and box. " Please specified spike diameter before ordering".

Isolator base Ø 30mm Isolator base Ø 60mm Isolator base Ø 100mm

ISOLATION DISCS

Beech wood isolation discs to upgrade Exoteryc and Prestige racks. *Wood box included on the price.

4 units

8 units

12 units

/ ISOLATING BASES FOR INDIVIDUAL ELECTRONICS

4 units

8 units

12 units

A SPECIAL TURNTABLE PLATFORM

AF I AF II

/ DAMPERS

Standard (1,4kg) Standard (1,4kg) MKIII (3,8kg) DP 20 (12,5 kg)

/ DECOUPLING DISCS

Improved base Prestige base Exoteryc base

/ PLATFORMS AND SHELVES

Floor platform treated glass

Turntable platform treated glass

Floor Krion platform (5,6cm bicolor, darkgrey, light grey)

Turntable Krion platform (5,6cm bicolor, darkgrey, light grey)

Floor Krion platform (4,4cm darkgrey)

Turntable Krion platform (4,4cm darkgrey)

AIRE platform

Glass Shelve

STAINLESS STEEL

CARBON FIBER ARMS

/ CABLE LIFTERS

www.artesaniaaudio.com

ACCESORIES RACK

AMA ARTESANÍA AUDIO

ISOLATION BASES

Isolation bases adjustable on height to enhance the sound performance of any audio component (Speakers / Turntables / Electronics...) Exchangeable bases made out of Teflon, Neoprene or Beech wood depending on result desired. Available on different diameters, 100 mm Exoteryc Base / 60mm Prestige Base / 30mm Isolator base.

Bases come with screw-in adapters (must be specified) 4mm / 6mm / 8mm



ISOLATION DISCS

Upgrade for our isolation discs in Beech Wood Upgrade for our isolation discs on Exoteryc and Prestige racks



ELECTRONIC BASES

Upgrade for our isolation discs in Beech Wood Support each of the electronic components (without any need for shelves). Easy installation facilitated by an elastic insert wich provides stability to place electronic components on the adjustable spikes.

Upgrade for our isolation discs on Exoteryc / Prestige / Aire platform



SPECIAL TURNTABLE PLATFORM

Descriptive text xxxxxx



www.artesaniaaudio.com



ACCESORIES RACK

the high end rack company

DAMPERS

Dampers are **anti-magnetic** and shock absorbing masses that act against vibrations generated in electronic components. These could be from power sources (transformers) and could also be a consequence of the ondulatory movement of sound as it bounces back off the furniture and cabinets housing electronic equipment. These air-borne vibrations cause interference and background noise that are detrimental to the listening experience.

With digital reader sources, dampers act as "armour" against radiofrequency signals and other types of waves, and consequently reduce vibrations. When dampers are installed in all electronic components of a sound system, **clearer and** more defined sounds are achieved across all frequencies.

The anti-vibration action of the dampers is equally effective with any other kind of unit from our range.

Dampers provide an extra control across the whole passband. They should be considered as the final touch in **achieving** clarity, tone and coherence in sound reproduction on room acoustics.




DECOUPLING DISCS

The objective in our products is absolute **neutrality in sound reproduction**. To obtain our goal, we have created the DECOUPLING DISCS, made out of Teflon, Neoprene or Beech wood depending on result desired.

These products **isolate** the Artesanía Audio Racks from any type of external coming from solid transmission.

EXOTERYC BASE and PRESTIGE BASE are coming with damping pads that could make a difference in the sonic behavior of the racks and overall sound performance of the audio system.



info@artesaniaaudio.com



18,6 cm

M/ ARTESANÍA AUDIO

PLATFORMS Available floor turntable





ACCESORIES RACK

the high end rack company

AIRE PLATFORM

1) ISOLATION DISCS

Support each of the electronic components (without any need for shelves). Easy installation facilitated by an elastic insert which provides stability to place electronic components on the adjustable spikes.

(2) TEFLON CILINDERS

Support the internal structure and isolates from the external structure. (Diameter 38 mm)

B DECOUPLING BASE


Stainless steel discs support the spikes of the uprights. Two types of floor pads are included, with different sonic behavior, depending on the room acoustics. Check manual to use the proper pads for the bases.

4 LINEAR ARMS

Arms made from anti-magnetic stainless steel. The arms hold adjustable spikes (can be located in different positions) also support isolating discs and damping pads. Total flexibility in different positions and easy to change. This system allows to set up the best support position to place electronic components.

(5) INTERNAL SUSPENDED STRUCTURE

Isolated from external structure. Eliminates vibrations that are transmitted from solid and acoustic sources through the creation of decouples; steel needles supported on isolating discs. These provide extra tiers of anti-resonant protection. This suspended audio rack has a triple decoupling.



www.artesaniaaudio.com

info@artesaniaaudio.com



M/ ARTESANÍA AUDIO

GLASS SHELVES

SHELVES

While other companies search for solid materials with good antivibrational response, Artesania Audio has developed racks without shelves and totally isolated. The result is that the electronics generate sound behaviors as were initially preconceived. The materials used have natural high frequencies. The combination with the

cushioning material achieves the resonance amplitude is very low, even with very high dynamic range (90 db). The shelves are supported by polyamide insulating discs

and pads neoprene maximum absorption and blocking features (preventing possible movements of horizontal traslation). The discs are supported on adjustable steel needles, located on the metal racks (to decrease transmision). We placed four needles support because the mass of the equipment is not uniform.

Regardless of this fact, in case that for aesthetic reasons or the electronics measuring less than 11 cm wide, our company has shelves as well.

Types of shelves:



KRION SHELVES available only for EXOTERYC racks.



STAINLESS STEEL PLATFORM FRAME

Descriptive text xxxxxx



TREATED GLASS SHELVES available

for EXOTERYC and PRESTIGE racks.



Any special & custom version upon request

www.artesaniaaudio.com



ACCESORIES RACK

CARBON FIBER ARMS UPGRADE

Descriptive text xxxxxx



CABLE LIFTERS

Descriptive text xxxxxxx





www.artesaniaaudio.com

info@artesaniaaudio.com







" Artesania Audio means exceptional quality and technology (ALTA FIDELIDAD, Spain)

" Parasitic noise disappears completely and a beautifully clean sound is the result " (HAUTE FIDÉLITÉ, France)

" Artesania racks extract every last drop of potential from the components it supports " (HAUTE FIDÉLITÉ, France)

" The perfect rack? There are no shelves to flap about under your equipment, its arguably the best equipment support known " (HI-FI NEWS, UK)

" Artesania Audio wants components to sound like themselves (in mechanical isolation), Blue Moon Award for Rack " (SIXMOONS, Switzerland)

" Incredibly neutral, the overall solidity and control of my system, Most Wanted Component award " (STEREO TIMES, USA)

" Music Sounded bigger, better recorded, you could hear more into the recording and the frequency extremes were as effortless and natural as the mid-band " (HI-FI +, UK)

" The Artesania Rack possesses the ability to improve the overall sonic performance of any separate component or system as a whole " (ENJOY THE MUSIC, USA)

Rozando la perfección · Touching perfection · 近乎完美 · नकिट पूर्णता · الأقرب إلى الكمال · Perto de perfeição близкое совершенство · 完璧に近い · Proche de la perfection · 완벽에 가까운 · Perfektion in der Nähe

www.artesaniaaudio.com